

Notice of Allowability

Application No.

10/757,006

Applicant(s)

SHAM, JOHN C.K.

Examiner

Theresa T. Snider

Art Unit

1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Replacement drawings of 6/1/2007.
2. ☒ The allowed claim(s) is/are 1-37.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>8/10/07</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Peter Canelias on 8/10/2007.

The application has been amended as follows:

In the Specification

Page 7, line 8, 'The' has been replaced with --A--;

Line 16, 'within the' has been replaced with --within--;

Line 18, '16' has been replaced with --17--;

Line 20, 'cavity' has been replaced with --chamber--;

Line 20, 'inlet' has been replaced with --inlet/outlet--.

Page 8, line 9, 'caused' has been replaced with --causes--.

Page 9, line 8, --rod-- has been inserted after 'plunger';

Line 10, 'middle cavity' has been replaced with --mixing chamber--;

Line 16, 'mixing cavity' has been replaced with --mixing chamber--;

Line 18, 'outlet' has been replaced with --inlet/outlet--;

Line 21, 'valve' has been replaced with --plunger rod--.

In the Claims

Claim 1, line 6, 'said bleeder...chamber;' has been deleted.

Art Unit: 1744

Claim 4, line 1, 'assembly' been deleted.

Claim 5, line 1, 'contain' has been replaced with --contains--.

Claim 10, line 2, --from said intermediate chamber-- has been inserted after 'second liquid'.

Claim 13, line 6, 'said bleeder...chamber;' has been deleted.

Claim 17, line 1, 'assembly' been deleted.

Claim 18, line 1, 'contain' has been replaced with --contains--.

Claim 23, line 2, --from said intermediate chamber-- has been inserted after 'second liquid'.

Claim 26, line 12, 'said bleeder...chamber;' has been deleted.

Claim 29, line 1, 'assembly' been deleted.

Claim 30, line 1, 'contain' has been replaced with --contains--.

Claim 35, line 2, --from said intermediate chamber-- has been inserted after 'second liquid'.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theresa T. Snider whose telephone number is (571) 272-1277.

The examiner can normally be reached on Monday-Friday (5:30am-2:00pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**THERESA T. SNIDER
PRIMARY EXAMINER**

Theresa T. Snider
Primary Examiner
Art Unit 1744

8/10/07